

# Calypto



Directional spotlight with joint for recessed mounting. Installation with screws or with recessed mounting on plasterboard using springs or outer casing. **Designed to enhance the displayed object in recesses or cases.**

**Passive heat dissipation**



Brass casing with chrome or nickel finish

**Practical installation**

Surface mounting or recessed mounting by means of an outer casing




**Calypto\_1** | Movable spotlight | powerLED 1.5 W 500 mA





type		colour			optic	
Chrome	CRI 80 <b>87059</b>	3000 K	178 lm	<b>W</b>	10°	<b>10</b>
Nickel	CRI 80 <b>87060</b>	4000 K	190 lm	<b>N</b>	30°	<b>30</b>
		5000 K	216 lm	<b>C</b>		

R - G - B - Y on request

-   
**99195**  
 ON/OFF  
 1 - 2 art.
-   
**99115**  
 1-10V  
 1 - 12 art.
-   
**99114**  
 DALI  
 1 - 12 art.
-   
**84349**  
 Outer casing

**Calypto\_2** | Movable spotlight | powerLED 1.5 W 500 mA




type		colour			optic	
Chrome	CRI 80 <b>87067</b>	3000 K	178 lm	<b>W</b>	30°	<b>30</b>
Nickel	CRI 80 <b>87068</b>	4000 K	190 lm	<b>N</b>	50°	<b>50</b>
		5000 K	216 lm	<b>C</b>	70°	<b>70</b>

R - G - B - Y on request

-   
**99195**  
 ON/OFF  
 1 - 2 art.
-   
**99115**  
 1-10V  
 1 - 12 art.
-   
**99114**  
 DALI  
 1 - 12 art.
-   
**84349**  
 Outer casing


## Outer-casings



type	Ø mm	h. mm	suitable for	
PVC	20	35	Petit_R - Petit_Q 1 W Aspho 0,5W - 1W Beriel - Elin 0,5W - 1W Mosaic	<b>84335</b>



type	Ø mm	h. mm	suitable for	
PVC	35	42	Petit_2R - Petit_2Q 1W Envelope - Romim_Q3 Nitum 1W - Picrol 1 W Viky 1W - Clip - Sand	<b>84336</b>



type	Ø mm	h. mm	suitable for	
PVC	25	37	llamt_1 1W	<b>84337</b>




type	Ø mm	h. mm	suitable for	
PVC	62	72	Quara_R - Quara_Q Quara65_R - RI - F Quara65_Q - QI Cut	<b>84338</b>




type	Ø mm	h. mm	suitable for	
PVC	30	42	llamt_1 2W - llamt66 llamt_2 - Romim_R Romim_Q - Calypto	<b>84349</b>




type	w. mm	h. mm	suitable for	
PVC	93 x 93	55	Zed_1	<b>84793</b>




type	w. mm	h. mm	suitable for	
PVC	117 x 117	73	Zed_2 - Cuadro_1	<b>84797</b>




type	Ø mm	h. mm	suitable for	
PVC	60	69	Petit_2R - Petit_2Q 2W Nitum 2W - Picrol 2 W Viky 2W - Ture 2W Gude 40 mm	<b>84901</b>




type	Ø mm	h. mm	suitable for	
PVC	50	62	Ghilea	<b>84902</b>




type	w. mm	h. mm	suitable for	
PVC	75 x 75	135	Zed_Y	<b>84907</b>




type	Ø mm	h. mm	suitable for	
PVC	60	49	Petit_2R - Petit_2Q 1W Envelope - Nitum 1W Viky 1W - Clip - Sand	<b>84915</b>



type	Ø mm	h. mm	suitable for	
PVC	60	48	Petit_R - Petit_Q 1.5W Bibok 1W - Elin 0,5W	<b>84916</b>



type	Ø mm	h. mm	suitable for	
PVC	60	80	Petit_R - Petit_Q 1.5 W Bibok - Aspho 1.5W Beriel - Ture 1,5W - 2W Gude 20 mm	<b>84917</b>




type	Ø mm	h. mm	suitable for	
PVC	60	86	Ture 1.5W Gude 30 mm	<b>84954</b>




type	Ø mm	h. mm	suitable for	
PVC	50	46	Picrol 1W	<b>84955</b>




type	Ø mm	h. mm	suitable for	
PVC	60	73	Picrol 1.5 W	<b>84956</b>




type	Ø mm	h. mm	suitable for	
PVC	31	20	Vissa	<b>84995</b>



type	Ø mm	h. mm	suitable for	
PVC	29	52	Picrol 1W	<b>98049</b>



type	w. mm	p. mm	h. mm	suitable for	
PVC	111	116	45	Quara65_QI 4W	<b>98050</b>



type	Ø mm	h. mm	suitable for	
PVC	59	55	Techo67 3W	<b>98057</b>