

# Ardilla



Compact-size wall light **characterized by square design** and available in the version with single and double diffused emission and in the version with combined double diffused emission + 60-degree optics. No external driver required thanks to the Direct-to-the-Power power supply system.

**Light management**


Three combinations available for maximum design flexibility

**Direct-to-the-power**

Directly connected to the mains voltage with no external drivers required



**Ardilla** | Wall light | topLED 4.5 W 190-240 V AC



**type**

White	CRI 80	<b>97830</b>
Black	CRI 80	<b>97831</b>
Grey	CRI 80	<b>97832</b>
Cor-Ten	CRI 80	<b>97833</b>

**colour**

3000 K	360 lm	<b>W</b>
4000 K	475 lm	<b>N</b>

**optic**

Diff.	<b>00</b>
-------	-----------

**Ardilla** | Wall light | topLED 9 W 190-240 V AC



**type**

White	CRI 80	<b>97834</b>
Black	CRI 80	<b>97835</b>
Grey	CRI 80	<b>97836</b>
Cor-Ten	CRI 80	<b>97837</b>

**colour**

3000 K	720 lm	<b>W</b>
4000 K	950 lm	<b>N</b>

**optic**

Diff.	<b>00</b>
-------	-----------

**Ardilla** | Wall light | topLED 9 W 190-240 V AC



**type**

White	CRI 80	<b>97880</b>
Black	CRI 80	<b>97881</b>
Grey	CRI 80	<b>97882</b>
Cor-Ten	CRI 80	<b>97883</b>

**colour**

3000 K	720 lm	<b>W</b>
4000 K	950 lm	<b>N</b>

**optic**

Diff. +60°	<b>61</b>
------------	-----------

