

# Clivo



A discreet **tilting spotlight, mounted on bracket**, ideal for **enhancing visibility of garden decorative elements such as statues or plants**. The perfect solution that adds charm to both private and public green spaces.

**Passive heat dissipation**

Brass casing or AISI 316 stainless steel casing for high salinity environments

**Light management**


Varying optics, with adjustable beam width

**Freedom of movement**

Optimum casing tilting for improved aiming of light



**Clivo** | Projector | 190-250 V | powerLED 2 W 630 mA



**type**

Chrome	CRI 80	<b>86217</b>
Nickel	CRI 80	<b>86218</b>

**colour**

3000 K	208 lm	<b>W</b>
4000 K	222 lm	<b>N</b>
5000 K	253 lm	<b>C</b>
R - G - B - Y on request		

**optic**

8°-50°	<b>85</b>
--------	-----------




**89371**  
Pegs



**98513**  
Anti-glare

**Clivo\_2** | Projector | powerLED 2 W 630 mA



**type**

White	CRI 80	<b>97068</b>
Black	CRI 80	<b>97069</b>
Chrome	CRI 80	<b>97072</b>
Nickel	CRI 80	<b>97071</b>
Cor-Ten	CRI 80	<b>97070</b>

**colour**

3000 K	208 lm	<b>W</b>
4000 K	222 lm	<b>N</b>
5000 K	253 lm	<b>C</b>
R - G - B - Y on request		

**optic**

8°-50°	<b>85</b>
--------	-----------



**89420**  
ON/OFF  
1 - 2 art.



**99179**  
ON/OFF  
3 - 6 art.



**99186**  
ON/OFF  
6 - 12 art.



**84890**  
250 mm  
Steel peg




**98112**  
700 mm  
Steel peg



**98513**  
Anti-glare

**Clivo\_1** | Projector | powerLED 2 W 630 mA



**type**

Steel	CRI 80	<b>97073</b>
-------	--------	--------------

**colour**

3000 K	208 lm	<b>W</b>
4000 K	222 lm	<b>N</b>
5000 K	253 lm	<b>C</b>
R - G - B - Y on request		

**optic**

8°-50°	<b>85</b>
--------	-----------



**89420**  
ON/OFF  
1 - 2 art.



**99179**  
ON/OFF  
3 - 6 art.



**99186**  
ON/OFF  
6 - 12 art.



**84890**  
250 mm  
Steel peg



**98112**  
700 mm  
Steel peg



**98513**  
Anti-glare

