

# Crystals



The energy resulting from the combination of glass and light will amaze you over and over again. Fitted with a **prismatic ground transparent glass diffuser**, the family of recessed spotlights Crystal embellish the spaces with a clear light or, alternatively, RGB light.

Each piece is made unique by the artisan processing of glass: Therefore the effect achieved may be not perfectly homogeneous. Any small imperfections should be considered a product peculiarity.

**Passive heat dissipation**

Brass casing

**Light management**


Three shades of white and four colours for customizable lighting

**Easy installation**

Series connection thanks to push-fit connectors for the RGB version




**Beriel** | Crystal spotlight | powerLED 1 W 350 mA



type		colour			optic
<input checked="" type="checkbox"/> Chrome	CRI 80	<b>92285</b>	3000 K	107 lm	<b>W</b>
			4000 K	114 lm	<b>N</b>
			5000 K	139 lm	<b>C</b>
			Red		<b>R</b>
			Green		<b>G</b>
			Blue		<b>B</b>
			Yellow		<b>Y</b>
					Diff. <b>00</b>

<b>89144</b>	<b>99115</b>	<b>99114</b>	<b>84335</b>
ON/OFF 1 - 2 art.	1-10V 1 - 15 art.	DALI 1 - 15 art.	Outer casing


**Beriel** | Crystal spotlight | powerLED 1.5 W 500 mA




type		colour			optic
<input type="checkbox"/> White	CRI 80	<b>92275</b>	3000 K	143 lm	<b>W</b>
<input checked="" type="checkbox"/> Chrome	CRI 80	<b>87324</b>	4000 K	152 lm	<b>N</b>
			5000 K	185 lm	<b>C</b>
			Red		<b>R</b>
			Green		<b>G</b>
			Blue		<b>B</b>
			Yellow		<b>Y</b>
					Diff. <b>00</b>

<b>99195</b>	<b>99115</b>	<b>99114</b>	<b>84917</b>
ON/OFF 1 - 2 art.	1-10V 1 - 12 art.	DALI 1 - 12 art.	Outer casing

**Beriel** | Crystal spotlight | powerLED 2.1 W 220 mA




type		colour			optic
<input type="checkbox"/> White		<b>91137</b>	RGB		<b>Z</b>
<input checked="" type="checkbox"/> Chrome		<b>87325</b>			
					Diff. <b>00</b>



<b>99140</b>	<b>99204</b>	<b>99200</b>	<b>84917</b>	Cables
N/O & IR	DMX	DMX	Outer casing	881




**Elin** | Crystal spotlight | 5mmLED 0,5 W 24 V




type		colour		optic	
White	<b>92631</b>	3000 K	<b>W</b>	Diff.	<b>00</b>
Chrome	<b>87337</b>	5000 K	<b>C</b>		
R - G - B - Y on request					

<b>89408</b>	<b>89487</b>	<b>99332</b>	<b>84916</b>	<b>84335</b>
ON/OFF 1 - 9 art.	ON/OFF 1 - 28 art.	1-10V 1 - 300 art.	Outer casing	Outer casing

**Elin** | Crystal spotlight | 5mmLED 0,5 W 24 V




type		colour		optic	
Chrome	<b>87340</b>	RGB	<b>Z</b>	Diff.	<b>00</b>



<b>99076</b>	<b>99278</b>	<b>84335</b>	<b>84916</b>	Cables
IR Remote	DMX	Outer casing	Outer casing	881


**Elin** | Crystal spotlight | powerLED 1 W 350 mA



type		colour			optic	
White	CRI 80 <b>91201</b>	3000 K	107 lm	<b>W</b>	Diff.	<b>00</b>
Chrome	CRI 80 <b>91200</b>	4000 K	114 lm	<b>N</b>		
		5000 K	139 lm	<b>C</b>		
		Red		<b>R</b>		
		Green		<b>G</b>		
		Blue		<b>B</b>		
		Yellow		<b>Y</b>		

<b>89144</b>	<b>99115</b>	<b>99114</b>	<b>84335</b>
ON/OFF 1 - 2 art.	1-10V 1 - 15 art.	DALI 1 - 15 art.	Outer casing


**Elin** | Crystal spotlight | powerLED 1.5 W 500 mA



type		colour			optic	
Chrome	CRI 80 <b>87323</b>	3000 K	143 lm	<b>W</b>	Diff.	<b>00</b>
		4000 K	152 lm	<b>N</b>		
		5000 K	185 lm	<b>C</b>		
		Red		<b>R</b>		
		Green		<b>G</b>		
		Blue		<b>B</b>		
		Yellow		<b>Y</b>		

<b>99195</b>	<b>99115</b>	<b>99114</b>	<b>84917</b>
ON/OFF 1 - 2 art.	1-10V 1 - 12 art.	DALI 1 - 12 art.	Outer casing

## Ture | Crystal spotlight | powerLED 1.5 W 500 mA



15

## type

Chrome	CRI 80	<b>87350</b>
--------	--------	--------------

## colour

3000 K	143 lm	<b>W</b>
4000 K	152 lm	<b>N</b>
5000 K	185 lm	<b>C</b>
Red		<b>R</b>
Green		<b>G</b>
Blue		<b>B</b>
Yellow		<b>Y</b>

## optic

Diff.	<b>00</b>
-------	-----------



**99195**  
ON/OFF  
1 - 2 art.



**99115**  
1-10V  
1 - 12 art.




**99114**  
DALI  
1 - 12 art.



**84917**  
Outer casing

## Ture | Crystal spotlight | powerLED 1.5 W 500 mA



20

## type

Chrome	CRI 80	<b>87353</b>
--------	--------	--------------

## colour

3000 K	178 lm	<b>W</b>
4000 K	190 lm	<b>N</b>
5000 K	216 lm	<b>C</b>
Red		<b>R</b>
Green		<b>G</b>
Blue		<b>B</b>
Yellow		<b>Y</b>

## optic

Diff.	<b>00</b>
-------	-----------



**99195**  
ON/OFF  
1 - 2 art.



**99115**  
1-10V  
1 - 12 art.




**99114**  
DALI  
1 - 12 art.



**84954**  
Outer casing

## Ture | Crystal spotlight | powerLED 1.5 W 500 mA



29

## type

Chrome	CRI 80	<b>87356</b>
--------	--------	--------------

## colour

3000 K	178 lm	<b>W</b>
4000 K	190 lm	<b>N</b>
5000 K	216 lm	<b>C</b>
Red		<b>R</b>
Green		<b>G</b>
Blue		<b>B</b>
Yellow		<b>Y</b>

## optic

Diff.	<b>00</b>
-------	-----------



**99195**  
ON/OFF  
1 - 2 art.



**99115**  
1-10V  
1 - 12 art.



**99114**  
DALI  
1 - 12 art.



**84901**  
Outer casing

**Gude** | Crystal spotlight | powerLED 1.5 W 500 mA



**type**

Chrome CRI 80 **87330**

**colour**

3000 K	143 lm	<b>W</b>
4000 K	152 lm	<b>N</b>
5000 K	185 lm	<b>C</b>
Red		<b>R</b>
Green		<b>G</b>
Blue		<b>B</b>
Yellow		<b>Y</b>

**optic**

Diff. **00**



**99195**  
ON/OFF  
1 - 2 art.



**99115**  
1-10V  
1 - 12 art.




**99114**  
DALI  
1 - 12 art.



**84917**  
Outer casing

**Gude** | Crystal spotlight | powerLED 1.5 W 500 mA



**type**

Chrome CRI 80 **87332**

**colour**

3000 K	178 lm	<b>W</b>
4000 K	190 lm	<b>N</b>
5000 K	216 lm	<b>C</b>
Red		<b>R</b>
Green		<b>G</b>
Blue		<b>B</b>
Yellow		<b>Y</b>

**optic**

Diff. **00**



**99195**  
ON/OFF  
1 - 2 art.



**99115**  
1-10V  
1 - 12 art.



**99114**  
DALI  
1 - 12 art.



**84954**  
Outer casing

**Gude** | Crystal spotlight | powerLED 1.5 W 500 mA



**type**

Chrome CRI 80 **87335**

**colour**

3000 K	178 lm	<b>W</b>
4000 K	190 lm	<b>N</b>
5000 K	216 lm	<b>C</b>
Red		<b>R</b>
Green		<b>G</b>
Blue		<b>B</b>
Yellow		<b>Y</b>

**optic**

Diff. **00**



**99195**  
ON/OFF  
1 - 2 art.



**99115**  
1-10V  
1 - 12 art.



**99114**  
DALI  
1 - 12 art.



**84901**  
Outer casing

