

CHIP OVALE


design by ROBERTO FIORATO



- GR-94 / Metallic grey / Textured
- BK-81 / Black / Textured
- WH-87 / White / Textured


Series of ceiling, wall, bracket and post mounted luminaires for indoor and outdoor, in two sizes, comprising:

- Technopolymer housing, trim or screen
- Pressed glass diffuser, white painted inside
- Aluminium reflector for incandescent versions
- Silicone gasket
- Stainless steel screws (security screws available upon request)
- Side entry for 20 mm conduits (drill out holes in housing)
- Also available in round shape
- 960° codes are available for french market only



CHIP OVALE 25

CHIP OVALE 30




CHIP OVALE 25
GRILL



CHIP OVALE 30
GRILL

Package size

 CHIP OVALE 25
30 x 29 x 51,5 cm
(master x 6)


 CHIP OVALE 30
37,5 x 33 x 60,5 cm
(master x 6)

Fixing holes



CHIP OVALE 25 LED


IK06 1J xx3

LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS Ø ≥ 0,9	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
Power LED 220-240 V 50/60 Hz															
LED	10 W	I		80	4000		S/EW	-	738 lm	397 lm	80	10	50000 h	●	301388
LED	10 W	I		80	3000		S/EW	-	672 lm	392 lm	80	10	50000 h	●	3013886
LED	10 W	I		80	4000		S/EW	-	738 lm	397 lm	80	10	50000 h	●	301389
LED	10 W	I		80	3000		S/EW	-	672 lm	392 lm	80	10	50000 h	●	3013896
LED	10 W	I		80	4000		S/EW	-	738 lm	397 lm	80	10	50000 h	○	301387
LED	10 W	I		80	3000		S/EW	-	672 lm	392 lm	80	10	50000 h	○	3013876



CHIP OVALE 25


IK06 1J xx3

LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS Ø ≥ 0,9	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x21 W	II	•	-	-		S/EW	-	-	-	-	-	-	●	005704
E27	1x21 W	II	•	-	-		S/EW	-	-	-	-	-	-	●	005702
E27	1x21 W	II	•	-	-		S/EW	-	-	-	-	-	-	○	005700

◀▶ Dulux EL Longlife E27 1x11W / ▶ GE FLE E27 1x11W / ▶ Megaman MM332 E27 1x20W / ▶ PHILIPS PL-E E27 1x8W

CHIP OVALE 25 960°


IK06 1J xx3

LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS Ø ≥ 0,9	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x21 W	II	•	-	-		S/EW	-	-	-	-	-	-	●	005699
E27	1x21 W	II	•	-	-		S/EW	-	-	-	-	-	-	○	005698

◀▶ Dulux EL Longlife E27 1x11W / ▶ Megaman MM332 E27 1x20W / ▶ PHILIPS PL-E E27 1x8W

CHIP OVALE 25 LED GRILL


IK06 1J xx3

LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS Ø ≥ 0,9	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
Power LED 220-240 V 50/60 Hz															
LED	10 W	I		80	4000		A/EW	-	738 lm	224 lm	80	10	50000 h	●	301612
LED	10 W	I		80	3000		A/EW	-	672 lm	247 lm	80	10	50000 h	●	3016126
LED	10 W	I		80	4000		A/EW	-	738 lm	224 lm	80	10	50000 h	●	301613
LED	10 W	I		80	3000		A/EW	-	672 lm	247 lm	80	10	50000 h	●	3016136
LED	10 W	I		80	4000		A/EW	-	738 lm	224 lm	80	10	50000 h	○	301611
LED	10 W	I		80	3000		A/EW	-	672 lm	247 lm	80	10	50000 h	○	3016116



CHIP OVALE 25 GRILL


IK06 1J xx3

LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS Ø ≥ 0,9	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x21 W	II	•	-	-		A/EW	-	-	-	-	-	-	●	005708
E27	1x21 W	II	•	-	-		A/EW	-	-	-	-	-	-	●	005707
E27	1x21 W	II	•	-	-		A/EW	-	-	-	-	-	-	○	005706

◀▶ Dulux EL Longlife E27 1x11W / ▶ GE FLE E27 1x11W / ▶ Megaman MM332 E27 1x20W / ▶ PHILIPS PL-E E27 1x8W

CHIP OVALE 25 GRILL 960°


IK06 1J xx3

LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS Ø ≥ 0,9	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x21 W	II	•	-	-		A/EW	-	-	-	-	-	-	●	005710
E27	1x21 W	II	•	-	-		A/EW	-	-	-	-	-	-	○	005709

◀▶ Dulux EL Longlife E27 1x11W / ▶ Megaman MM332 E27 1x20W / ▶ PHILIPS PL-E E27 1x8W

CHIP OVALE 30 LED


IK06 1J xx3

LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS Ø ≥ 0,9	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
Power LED 220-240 V 50/60 Hz															
LED	13,5 W	I		80	4000		S/EW	-	738 lm	585 lm	80	10	50000 h	●	301401
LED	13,5 W	I		80	3000		S/EW	-	672 lm	532 lm	80	10	50000 h	●	3014016
LED	13,5 W	I		80	4000		S/EW	-	738 lm	585 lm	80	10	50000 h	●	301402
LED	13,5 W	I		80	3000		S/EW	-	672 lm	532 lm	80	10	50000 h	●	3014026
LED	13,5 W	I		80	4000		S/EW	-	738 lm	585 lm	80	10	50000 h	○	301400
LED	13,5 W	I		80	3000		S/EW	-	672 lm	532 lm	80	10	50000 h	○	3014006



CHIP OVALE 30

IK06 1J xx3

LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS Ø ≥ 0,9	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x30 W	II	•	-	-		S/EW	-	-	-	-	-	-	●	005784
E27	1x30 W	II	•	-	-		S/EW	-	-	-	-	-	-	●	005782
E27	1x30 W	II	•	-	-		S/EW	-	-	-	-	-	-	○	005780

◀▶ Dulux EL Longlife E27 1x12W / ▶ Dulux EL Longlife E27 1x23W / ▶ GE FLE E27 1x23W / ▶ Megaman MM332 E27 1x23W / ▶ PHILIPS PL-E E27 1x23W

CHIP OVALE 30 LED GRILL

IK06 1J xx3

LAMPHOLDER	WATTAGE	CLASS	⚡	CRI	KELVIN	COS φ ≥ 0,9	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
Power LED 220-240 V 50/60 Hz															
LED	13,5 W	I		80	4000		A/EW	-	1002 lm	295 lm	80	10	50000 h	●	301617
LED	13,5 W	I		80	3000		A/EW	-	912 lm	295 lm	80	10	50000 h	●	3016176
LED	13,5 W	I		80	4000		A/EW	-	1002 lm	295 lm	80	10	50000 h	●	301618
LED	13,5 W	I		80	3000		A/EW	-	912 lm	295 lm	80	10	50000 h	●	3016186
LED	13,5 W	I		80	4000		A/EW	-	1002 lm	295 lm	80	10	50000 h	○	301616
LED	13,5 W	I		80	3000		A/EW	-	912 lm	295 lm	80	10	50000 h	○	3016166



CHIP OVALE 30 GRILL

IK06 1J xx3

LAMPHOLDER	WATTAGE	CLASS	⚡	CRI	KELVIN	COS φ ≥ 0,9	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x30 W	II	•	-	-		A/EW	-	-	-	-	-	-	●	005788
E27	1x30 W	II	•	-	-		A/EW	-	-	-	-	-	-	●	005787
E27	1x30 W	II	•	-	-		A/EW	-	-	-	-	-	-	○	005786

◀▶ Dulux EL Longlife E27 1x12W / ▶▶ Dulux EL Longlife E27 1x23W / ▶▶ GE FLE E27 1x23W / ▶▶ Megaman MM332 E27 1x23W / ▶▶ PHILIPS PL-E E27 1x23W

OPTIONAL ACCESSORIES

CHIP OVALE 25 Brackets

Technopolymer range of accessories suitable for wall and post mounting the Chip Ovale 25 only.

Suitable for single or twin (back to back) luminaire mounting either vertically or on a 40° angled position. To ensure correct drainage a 6mm hole should be drilled on the lower part of the trim (please refer to installation and maintenance instruction sheet).




The accessories for post mount are suitable for either standard Ø 60 mm posts or Ø 42 mm posts.

M1/M2 Post CHIP OVALE 25

Mini M1/M2 Post

- Post made of painted extruded aluminium suitable for single or twin (back to back) luminaire mounting
- Technopolymer brackets
- Self-extinguishing technopolymer junction box with 4-pole 16 mm² terminal.

DESCRIPTION	COLOR	PART NUMBER
CHIP OVALE		
Corner bracket (vertical mount)	●	000790
Corner bracket(angled mount)	●	000792
Angled bracket 40°	●	000503
Angled bracket 40°	●	000502
Angled bracket for 42 mm post	●	000800
Angled bracket for 60 mm post	●	000802
Twin angled bracket for 60 mm post	●	000810
Post M1	●	000997
Post M1	●	000996
Post M2	●	000999
Post M2	●	000998




Complete unit

1A+1B = please order 2 codes

COMPONENTS

- A** luminaire
- B** bracket




Complete unit

1A+1B+1C = please order 3 codes

2A+1B+1C = please order 4 codes

COMPONENTS

- A** luminaire
- B** bracket
- C** pole




Complete unit

1A+1B+2C = please order 4 codes

2A+1B+2C = please order 5 codes


COMPONENTS

- A** luminaire
- B** pole
- C** fixing rod



CHIP TONDO

design by ROBERTO FIORATO



- GR-94 / Metallic grey / Textured
- BK-81 / Black / Textured
- WH-87 / White / Textured



Series of wall, ceiling and post mounted luminaires in two dimensions for indoor and outdoor lighting, comprising:

- Technopolymer housing, trim or screen
- Pressed glass diffuser, white painted inside
- Aluminium reflector for incandescent versions
- Technopolymer reflector for fluorescent versions
- Silicone gasket
- Side entry for 20 mm conduits (drill out holes in housing)
- Stainless steel screws (security screws available upon request)
- 960° PC versions available on request
- Also available in oval





Package size

CHIP TONDO 25
 31 x 42,5 x 57 cm
 (master x 6)

CHIP TONDO 30
 18,5 x 61,5 x 61,5 cm
 (master x 4)

Fixing holes



CHIP TONDO 25 LED

IK06 1J xx3

LAMPHOLDER	WATTAGE	CLASS	CRI	KELVIN	COS Ø ≥ 0,9	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
Power LED 220-240 V 50/60 Hz														
LED	9,5 W	I	80	4000		S/EW	-	825 lm	399 lm	80	10	50000 h	●	301423
LED	9,5 W	I	80	3000		S/EW	-	720 lm	383 lm	80	10	50000 h	●	3014236
LED	9,5 W	I	80	4000		S/EW	-	825 lm	399 lm	80	10	50000 h	●	301422
LED	9,5 W	I	80	3000		S/EW	-	720 lm	383 lm	80	10	50000 h	●	3014226
LED	9,5 W	I	80	4000		S/EW	-	825 lm	399 lm	80	10	50000 h	○	301421
LED	9,5 W	I	80	3000		S/EW	-	720 lm	383 lm	80	10	50000 h	○	3014216



CHIP TONDO 25

IK06 1J xx3

LAMPHOLDER	WATTAGE	CLASS	CRI	KELVIN	COS Ø ≥ 0,9	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
Fluorescent- electronic ballast														
G24q-2	1x18 W	II	-	2700	•	S/EW	-	-	-	-	-	-	●	055744
G24q-2	1x18 W	II	-	2700	•	S/EW	-	-	-	-	-	-	●	055742
G24q-2	1x18 W	II	-	2700	•	S/EW	-	-	-	-	-	-	○	055740
E27	1x21 W	II	•	-	-	S/EW	-	-	-	-	-	-	●	005744
E27	1x21 W	II	•	-	-	S/EW	-	-	-	-	-	-	●	005742
E27	1x21 W	II	•	-	-	S/EW	-	-	-	-	-	-	○	005740

☞ Dulux EL Longlife E27 1x11W / ☞ GE FLE E27 1x11W / ☞ Megaman MM332 E27 1x20W / ☞ PHILIPS PL-E E27 1x8W

CHIP TONDO 25 GRILL

IK06 1J xx3


LAMPHOLDER	WATTAGE	CLASS	CRI	KELVIN	COS Ø ≥ 0,9	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
Fluorescent- electronic ballast														
G24q-2	1x18 W	II	-	2700	•	A/EW	-	-	-	-	-	-	●	055748
G24q-2	1x18 W	II	-	2700	•	A/EW	-	-	-	-	-	-	●	055742
G24q-2	1x18 W	II	-	2700	•	A/EW	-	-	-	-	-	-	○	055746
E27	1x21 W	II	•	-	-	A/EW	-	-	-	-	-	-	●	005748
E27	1x21 W	II	•	-	-	A/EW	-	-	-	-	-	-	●	005742
E27	1x21 W	II	•	-	-	A/EW	-	-	-	-	-	-	○	005746

☞ Dulux EL Longlife E27 1x11W / ☞ GE FLE E27 1x11W / ☞ Megaman MM332 E27 1x20W / ☞ PHILIPS PL-E E27 1x8W



OPTIONAL ACCESSORIES

DESCRIPTION	COLOR	PART NUMBER
CHIP TONDO		
Double Post	●	000500
Double Post	●	000501




Complete unit

1A+1B = please order 2 codes
2A+1B = please order 3 codes

COMPONENTS

A luminaire
B pole



000500
000501

CHIP TONDO 30 LED

IK06 1J xx3

LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS ϕ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
Power LED 220-240 V 50/60 Hz															
LED	13,5 W	I		80	4000		S/EW	-	1002 lm	540 lm	80	10	50000 h	●	301428
LED	13,5 W	I		80	3000		S/EW	-	912 lm	472 lm	80	10	50000 h	●	3014286
LED	13,5 W	I		80	4000		S/EW	-	1002 lm	540 lm	80	10	50000 h	●	301426
LED	13,5 W	I		80	3000		S/EW	-	912 lm	472 lm	80	10	50000 h	●	3014266
LED	13,5 W	I		80	4000		S/EW	-	1002 lm	540 lm	80	10	50000 h	○	301424
LED	13,5 W	I		80	3000		S/EW	-	912 lm	472 lm	80	10	50000 h	○	3014246



CHIP TONDO 30

IK06 1J xx3

LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS ϕ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
Fluorescent- electronic ballast															
G24q-2	1x18 W	II		-	2700	•	S/EW	-	-	-	-	-	-	●	055837
G24q-2	1x18 W	II		-	2700	•	S/EW	-	-	-	-	-	-	●	055835
G24q-2	1x18 W	II		-	2700	•	S/EW	-	-	-	-	-	-	○	055833
E27	1x30 W	II		•	-	-	S/EW	-	-	-	-	-	-	●	005825
E27	1x30 W	II		•	-	-	S/EW	-	-	-	-	-	-	●	005823
E27	1x30 W	II		•	-	-	S/EW	-	-	-	-	-	-	○	005821

◀▶ Dulux EL Longlife E27 1x15W / ▶▶ GE FLE E27 1x15W / ▶▶ Megaman MM332 E27 1x20W / ▶▶ PHILIPS PL-E E27 1x18W / ▶▶ PHILIPS PL-E E27 1x20W

CHIP TONDO 30 GRILL

IK06 1J xx3

LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS ϕ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
Fluorescent- electronic ballast															
G24q-2	1x18 W	II		-	2700	•	A/EW	-	-	-	-	-	-	●	055841
G24q-2	1x18 W	II		-	2700	•	A/EW	-	-	-	-	-	-	●	055840
G24q-2	1x18 W	II		-	2700	•	A/EW	-	-	-	-	-	-	○	055839
E27	1x30 W	II		•	-	-	S/EW	-	-	-	-	-	-	●	005829
E27	1x30 W	II		•	-	-	S/EW	-	-	-	-	-	-	●	005828
E27	1x30 W	II		•	-	-	S/EW	-	-	-	-	-	-	○	005827

◀▶ Dulux EL Longlife E27 1x15W / ▶▶ GE FLE E27 1x15W / ▶▶ Megaman MM332 E27 1x20W / ▶▶ PHILIPS PL-E E27 1x18W / ▶▶ PHILIPS PL-E E27 1x20W

