

EKO+19


design by ROBERTO FIORATO




- GR-20 / Metallic grey / Glossy
- AN-96 / Anthracite gray / Textured
- WH-87 / White / Textured




- Wall and ceiling mounting luminaire for indoor and outdoor, comprising:
 - Die-cast painted aluminium housing, ring and screens
 - Diffuser stays securely hinged to the frame
 - Pressed glass diffuser, white painted inside
 - Aluminium reflector for incandescent versions
 - EPDM gasket
 - Stainless steel locking screws
 - No through wiring
 - All versions are available with polycarbonate diffuser IK10 on request
 - Also available in round shape



EKO+ 19




EKO+ 19
/G




EKO+ 19
GRILL

Package size

 30 x 76 x 22 cm
(master x 5)

Fixing holes



EKO+19 LED

IK07 2J xx5

LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS Φ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
Power LED 220-240 V 50/60 Hz															
LED	10 W	I		80	4000		S/EW	-	738 lm	508 lm	80	10	50000 h	●	301382
LED	10 W	I		80	3000		S/EW	-	672 lm	479 lm	80	10	50000 h	●	3013826
LED	10 W	I		80	4000		S/EW	-	738 lm	508 lm	80	10	50000 h	●	301383
LED	10 W	I		80	3000		S/EW	-	672 lm	479 lm	80	10	50000 h	●	3013836
LED	10 W	I		80	4000		S/EW	-	738 lm	508 lm	80	10	50000 h	○	301381
LED	10 W	I		80	3000		S/EW	-	672 lm	479 lm	80	10	50000 h	○	3013816



EKO+19

IK07 2J xx5

LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS Φ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x60 W	I		-	-		S/EW	-	-	-	-	-	-	●	302011
E27	1x60 W	I		-	-		S/EW	-	-	-	-	-	-	●	302012
E27	1x60 W	I		-	-		S/EW	-	-	-	-	-	-	○	302010

◀▶ Dulux EL Longlife E27 1x16W / ▶▶ GE Electronic Biax Eco E27 1x15W / ▶▶ Mega. Liliput Plus Ingenium E27 1x15W

EKO+19/G LED

IK07 2J xx5

LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS Φ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
Power LED 220-240 V 50/60 Hz															
LED	10 W	I		80	4000		S/EW	-	738 lm	235 lm	80	10	50000 h	●	301644
LED	10 W	I		80	3000		S/EW	-	672 lm	229 lm	80	10	50000 h	●	3016446
LED	10 W	I		80	4000		S/EW	-	738 lm	235 lm	80	10	50000 h	●	301645
LED	10 W	I		80	3000		S/EW	-	672 lm	229 lm	80	10	50000 h	●	3016456
LED	10 W	I		80	4000		S/EW	-	738 lm	235 lm	80	10	50000 h	○	301643
LED	10 W	I		80	3000		S/EW	-	672 lm	229 lm	80	10	50000 h	○	3016436



EKO+19/G

IK10 20J xx9

LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS Φ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x60 W	I		-	-		S/EW	-	-	-	-	-	-	●	302017
E27	1x60 W	I		-	-		S/EW	-	-	-	-	-	-	●	302018
E27	1x60 W	I		-	-		S/EW	-	-	-	-	-	-	○	302016

◀▶ Dulux EL Longlife E27 1x16W / ▶▶ GE Electronic Biax Eco E27 1x15W / ▶▶ Mega. Liliput Plus Ingenium E27 1x15W

EKO+19 GRILL LED

IK07 2J xx5

LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS Φ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
Power LED 220-240 V 50/60 Hz															
LED	10 W	I		80	4000		A/EW	-	738 lm	248 lm	80	10	50000 h	●	301650
LED	10 W	I		80	3000		A/EW	-	672 lm	241 lm	80	10	50000 h	●	3016506
LED	10 W	I		80	4000		A/EW	-	738 lm	248 lm	80	10	50000 h	●	301651
LED	10 W	I		80	3000		A/EW	-	672 lm	241 lm	80	10	50000 h	●	3016516
LED	10 W	I		80	4000		A/EW	-	738 lm	248 lm	80	10	50000 h	○	301649
LED	10 W	I		80	3000		A/EW	-	672 lm	241 lm	80	10	50000 h	○	3016496



EKO+19 GRILL


IK07 2J xx5

LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS Φ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x60 W	I		-	-		A/EW	-	-	-	-	-	-	●	302023
E27	1x60 W	I		-	-		A/EW	-	-	-	-	-	-	●	302024
E27	1x60 W	I		-	-		A/EW	-	-	-	-	-	-	○	302022

◀▶ Dulux EL Longlife E27 1x16W / ▶▶ GE Electronic Biax Eco E27 1x15W / ▶▶ Mega. Liliput Plus Ingenium E27 1x15W


EKO 19

design by ROBERTO FIORATO




- AN-40 / Anthracite / Glossy
- BK-81 / Black / Textured
- WH-87 / White / Textured
- SL-10 / Silver / Glossy


- Wall and ceiling mounting luminaire for indoor and outdoor, comprising:
 - Housing, ring and screens (/G, GRILL, SPLIT) in technopolymer
 - Pressed glass diffuser, white painted inside
 - Aluminium reflector for incandescent versions
 - Stainless steel locking screws
 - Aluminium gear tray for fluorescent models
 - Anti-tamper kit available as an accessory
 - DETEK versions feature an integrated motion sensor fitted into a technopolymer external box
 - Sensor suitable for resistive or inductive load
 - Regulation of the switch-off time from 6 seconds to 20 minutes
 - Tripping threshold from 5 lux to daylight level
 - Mandatory downward direction of sensor
 - Vertical detection angle equal to 360°, horizontal angle 100°
 - All versions are available with polycarbonate diffuser IK10 on request
 - Also available in round shape




EKO 19




EKO 19
DETEK



EKO 19
/G




EKO 19
GRILL



EKO 19
SPLIT

Package size





EKO 19
76 x 24 x 55 cm
(master x 10)




EKO 19 DETEK
28 x 75 x 30 cm
(master x 5)

Fixing holes



EKO 19

IK06 1J xx3


LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS Φ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x15 W	II		-	-	-	S/EW	-	-	-	-	-	-	●	300258
E27	1x15 W	II		-	-	-	S/EW	-	-	-	-	-	-	●	300255
E27	1x15 W	II		-	-	-	S/EW	-	-	-	-	-	-	○	300254
E27	1x15 W	II		-	-	-	S/EW	-	-	-	-	-	-	●	300257

◁ Classic A E27 1x60W / ▷ Dulux EL Longlife E27 1x10W / ▷ Dulux EL Longlife E27 1x12W / ▷ GE FLE E27 1x11W / ▷ Megaman Liliput Plus E27 1x15W



EKO 19/G

IK06 1J xx3


LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS Φ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x15 W	II		-	-	-	S/EW	-	-	-	-	-	-	●	300268
E27	1x15 W	II		-	-	-	S/EW	-	-	-	-	-	-	●	300265
E27	1x15 W	II		-	-	-	S/EW	-	-	-	-	-	-	○	300264
E27	1x15 W	II		-	-	-	S/EW	-	-	-	-	-	-	●	300267

◁ Classic A E27 1x60W / ▷ Dulux EL Longlife E27 1x10W / ▷ Dulux EL Longlife E27 1x12W / ▷ GE FLE E27 1x11W / ▷ Megaman Liliput Plus E27 1x15W



EKO 19 GRILL

IK06 1J xx3


LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS Φ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x15 W	II		-	-	-	A/EW	-	-	-	-	-	-	●	300278
E27	1x15 W	II		-	-	-	A/EW	-	-	-	-	-	-	●	300275
E27	1x15 W	II		-	-	-	A/EW	-	-	-	-	-	-	○	300274
E27	1x15 W	II		-	-	-	A/EW	-	-	-	-	-	-	●	300277

◁ Classic A E27 1x60W / ▷ Dulux EL Longlife E27 1x10W / ▷ Dulux EL Longlife E27 1x12W / ▷ GE FLE E27 1x11W / ▷ Megaman Liliput Plus E27 1x15W



EKO 19 SPLIT

IK06 1J xx3


LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS Φ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x15 W	II		-	-	-	S/EW	-	-	-	-	-	-	●	300288
E27	1x15 W	II		-	-	-	S/EW	-	-	-	-	-	-	●	300285
E27	1x15 W	II		-	-	-	S/EW	-	-	-	-	-	-	○	300284
E27	1x15 W	II		-	-	-	S/EW	-	-	-	-	-	-	●	300287

◁ Classic A E27 1x60W / ▷ Dulux EL Longlife E27 1x10W / ▷ Dulux EL Longlife E27 1x12W / ▷ GE FLE E27 1x11W / ▷ Megaman Liliput Plus E27 1x15W



EKO 19 DETEK

IK06 1J xx3

LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS Φ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x15 W	II		-	-	-	S/EW	-	-	-	-	-	-	●	301222
E27	1x15 W	II		-	-	-	S/EW	-	-	-	-	-	-	○	301218

▷ Dulux EL Longlife E27 1x12W / ▷ Dulux EL Longlife E27 1x15W / ▷ Megaman Liliput Plus E27 1x15W



OPTIONAL ACCESSORIES

DESCRIPTION	COLOR	PART NUMBER
EKO 19		
Diffuser pc Eko 19		310310
Anti-tamper		310176
Anti-tamper		310177



310176



310177

EKO+21/26

design by ROBERTO FIORATO




- GR-20 / Metallic grey / Glossy
- AN-96 / Anthracite gray / Textured
- WH-87 / White / Textured


- Series of wall and ceiling mounted luminaire for indoor and outdoor, in two sizes, comprising:
- Die-cast painted aluminium housing, ring and screens
 - Pressed glass diffuser, white painted inside
 - Diffuser stays securely hinged to the frame
 - Aluminium reflector for incandescent versions
 - Aluminium gear tray for fluorescent models
 - EPDM gasket
 - Stainless steel locking screws
 - No through wiring
 - Hyper-frequency (HF) sensor operating at a frequency of 5.8 Ghz+/- 75 Mhz
 - Fully adjustable daylight sensor (5-1000 lux), timing sensor (10-300 s) and sensitivity sensor (20-100%)
 - Widest detection field up to 8 meters
 - The integrated protection module inside the sensor allows the installation of more than one luminaire in the same room without the risk of reciprocal interference
 - Maximum switchable load 400 W for incandescent lamps or 200 W for fluorescent lamps
 - Tilting LED board for easy wiring during installation
 - Supplied with SMD self-heat dissipating power LED metal core board: FUTURE-PROOF™
 - All versions are available with polycarbonate diffuser IK10 on request
 - Also available in oval




EKO+
21 LED
21




EKO+
21 /G




EKO+
21 GRILL




EKO+
26 LED
26
26 DETEK HF




EKO+
26 /G
26/G PC




Package size

 EKO+ 21
28 x 76 x 27 cm
(master x 5)

 EKO+ 26
32 x 72 x 34 cm
(master x 5)

Fixing holes



LED SMD

EKO+21 LED

IK07 2J xx5

LAMPHOLDER	WATTAGE	CLASS	CRI	KELVIN	COS Φ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
Power LED 220-240 V 50/60 Hz														
LED	11 W	I	80	4000	•	S/EW	-	1281 lm	734 lm	80	10	50000 h	●	303476
LED	11 W	I	80	3000	•	S/EW	-	1214 lm	701 lm	80	10	50000 h	●	303478
LED	11 W	I	80	4000	•	S/EW	-	1281 lm	734 lm	80	10	50000 h	○	303477
LED	11 W	I	80	3000	•	S/EW	-	1214 lm	701 lm	80	10	50000 h	○	303479



EKO+21

IK07 2J xx5

LAMPHOLDER	WATTAGE	CLASS	CRI	KELVIN	COS Φ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x60 W	I	-	-	-	S/EW	-	-	-	-	-	-	●	302035
E27	1x60 W	I	-	-	-	S/EW	-	-	-	-	-	-	●	302036
E27	1x60 W	I	-	-	-	S/EW	-	-	-	-	-	-	○	302034

◀▶ Dulux EL Longlife E27 1x16W / ▶▶ GE Electronic Biax Eco E27 1x15W / ▶▶ Mega. Liliput Plus Ingenium E27 1x15W

EKO+21/G

IK10 20J xx9

LAMPHOLDER	WATTAGE	CLASS	CRI	KELVIN	COS Φ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x60 W	I	-	-	-	S/EW	-	-	-	-	-	-	●	302044
E27	1x60 W	I	-	-	-	S/EW	-	-	-	-	-	-	●	302045
E27	1x60 W	I	-	-	-	S/EW	-	-	-	-	-	-	○	302043

◀▶ Dulux EL Longlife E27 1x16W / ▶▶ GE Electronic Biax Eco E27 1x15W / ▶▶ Mega. Liliput Plus Ingenium E27 1x15W



EKO+21 GRILL

IK07 2J xx5

LAMPHOLDER	WATTAGE	CLASS	CRI	KELVIN	COS Φ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x40 W	I	-	-	-	A/EW	-	-	-	-	-	-	●	302053
E27	1x40 W	I	-	-	-	A/EW	-	-	-	-	-	-	●	302054
E27	1x40 W	I	-	-	-	A/EW	-	-	-	-	-	-	○	302052

◀▶ Dulux EL Longlife E27 1x16W / ▶▶ GE Electronic Biax Eco E27 1x15W / ▶▶ Mega. Liliput Plus Ingenium E27 1x15W



EKO+26 LED

IK07 2J xx5

LAMPHOLDER	WATTAGE	CLASS	CRI	KELVIN	COS Φ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
Power LED 220-240 V 50/60 Hz														
LED	16 W	I	80	4000	•	S/EW	-	2447 lm	1245 lm	80	10	50000 h	●	302631
LED	16 W	I	80	3000	•	S/EW	-	2226 lm	1161 lm	80	10	50000 h	●	302633
LED	16 W	I	80	4000	•	S/EW	-	2447 lm	1245 lm	80	10	50000 h	○	302632
LED	16 W	I	80	3000	•	S/EW	-	2226 lm	1161 lm	80	10	50000 h	○	302634



EKO+26

IK07 2J xx5

LAMPHOLDER	WATTAGE	CLASS	CRI	KELVIN	COS Φ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x100 W	I	-	-	-	S/EW	-	-	-	-	-	-	●	302062
E27	1x100 W	I	-	-	-	S/EW	-	-	-	-	-	-	●	302063
E27	1x100 W	I	-	-	-	S/EW	-	-	-	-	-	-	○	302061

◀▶ Dulux EL Longlife E27 1x21W / ▶▶ Mega. Liliput Plus Ingenium E27 1x23W / ▶▶ PHILIPS PL-E E27 1x23W

EKO+26 LED DETEK HF

IK07 2J xx5

LAMPHOLDER	WATTAGE	CLASS	CRI	KELVIN	COS Φ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
Power LED 220-240 V 50/60 Hz														
LED	18 W	I	80	4000	•	S/EW	-	2447 lm	1245 lm	80	10	50000 h	●	303638
LED	18 W	I	80	3000	•	S/EW	-	2226 lm	1161 lm	80	10	50000 h	●	303636
LED	18 W	I	80	4000	•	S/EW	-	2447 lm	1245 lm	80	10	50000 h	○	303637
LED	18 W	I	80	3000	•	S/EW	-	2226 lm	1161 lm	80	10	50000 h	○	303635



EKO+26 DETEK HF

IK07 2J xx5

LAMPHOLDER	WATTAGE	CLASS	CRI	KELVIN	COS Φ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x21 W	I	-	-	-	S/EW	-	-	-	-	-	-	●	302293
E27	1x21 W	I	-	-	-	S/EW	-	-	-	-	-	-	●	302294
E27	1x21 W	I	-	-	-	S/EW	-	-	-	-	-	-	○	302292

◀ Mega. Liliput Plus Ingenium E27 1x23W / ▶ PHILIPS PL-E E27 1x23W

EKO+26/G

IK10 20J xx9

LAMPHOLDER	WATTAGE	CLASS	CRI	KELVIN	COS Φ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x100 W	I	-	-	-	S/EW	-	-	-	-	-	-	●	302074
E27	1x100 W	I	-	-	-	S/EW	-	-	-	-	-	-	●	302075
E27	1x100 W	I	-	-	-	S/EW	-	-	-	-	-	-	○	302073

◀ Dulux EL Longlife E27 1x21W / ▶ Mega. Liliput Plus Ingenium E27 1x23W / ▶ PHILIPS PL-E E27 1x23W



EKO+26/G DETEK HF

IK07 2J xx5

LAMPHOLDER	WATTAGE	CLASS	CRI	KELVIN	COS Φ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x21 W	I	-	-	-	S/EW	-	-	-	-	-	-	●	302299
E27	1x21 W	I	-	-	-	S/EW	-	-	-	-	-	-	●	302300
E27	1x21 W	I	-	-	-	S/EW	-	-	-	-	-	-	○	302298

◀ Mega. Liliput Plus Ingenium E27 1x23W / ▶ PHILIPS PL-E E27 1x23W

EKO+26/G PC


IK10 20J xx9

LAMPHOLDER	WATTAGE	CLASS	CRI	KELVIN	COS Φ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x75 W	I	-	-	-	S/EW	-	-	-	-	-	-	●	302149
E27	1x75 W	I	-	-	-	S/EW	-	-	-	-	-	-	●	302150
E27	1x75 W	I	-	-	-	S/EW	-	-	-	-	-	-	○	302148

◀ Classic A E27 1x75W / ▶ Dulux EL Longlife E27 1x21W / ▶ Mega. Liliput Plus Ingenium E27 1x23W / ▶ PHILIPS PL-E E27 1x23W

OPTIONAL ACCESSORIES

DESCRIPTION	COLOR	PART NUMBER
EKO 21/26		
Diffuser PC Eko 26		310312




310312



CEILING SURFACE MOUNTED



WALL MOUNTED



EKO 21/26


design by ROBERTO FIORATO



- AN-40 / Anthracite / Glossy
- BK-81 / Black / Textured
- WH-87 / White / Textured
- SL-10 / Silver / Glossy



- Series of wall and ceiling mounted luminaire for indoor and outdoor, in two sizes, comprising:
- Technopolymer housing, trim, screen or grid
 - Pressed glass diffuser, white painted inside
 - Aluminium reflector for incandescent versions
 - Aluminium gear tray for fluorescent models
 - Stainless steel locking screws
 - DETEK versions feature an integrated motion sensor fitted into a technopolymer external box
 - Tripping threshold from 5 lux to daylight level
 - Regulation of the switch-off time from 6 seconds to 20 minutes
 - Mandatory downward direction of sensor
 - Sensor suitable for resistive or inductive load
 - All versions are available with polycarbonate diffuser IK10 on request
 - Anti-tamper kit available as an accessory
 - 960° PC versions available on request
 - Also available in oval



EKO
21

EKO
26



EKO
21 DETEK

EKO
26 DETEK




EKO
21 /G


EKO
26 /G




EKO
21 GRILL




Package size

 EKO 21 GRILL
50 x 73,4 x 25,6 cm
(master x 10)

 EKO 21 DETEK
51 x 74 x 29 cm
(master x 10)

 EKO 26
32 x 72 x 34 cm
(master x 5)

Fixing holes




EKO 21

IK06 1J xx3

LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS ϕ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x15 W	II		-	-	-	S/EW	-	-	-	-	-	-	●	300458
E27	1x15 W	II		-	-	-	S/EW	-	-	-	-	-	●	300455	
E27	1x15 W	II		-	-	-	S/EW	-	-	-	-	-	○	300454	
E27	1x15 W	II		-	-	-	S/EW	-	-	-	-	-	●	300457	

◁ Classic A E27 1x60W / ▷ Dulux EL Longlife E27 1x10W / ▷ Dulux EL Longlife E27 1x12W / ▷ GE FLE E27 1x11W / ▷ Megaman Liliput Plus E27 1x15W




EKO 21/G

IK06 1J xx3

LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS ϕ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x15 W	II		-	-	-	S/EW	-	-	-	-	-	-	●	300473
E27	1x15 W	II		-	-	-	S/EW	-	-	-	-	-	-	●	300470
E27	1x15 W	II		-	-	-	S/EW	-	-	-	-	-	-	○	300469
E27	1x15 W	II		-	-	-	S/EW	-	-	-	-	-	-	●	300472

◁ Classic A E27 1x60W / ▷ Dulux EL Longlife E27 1x10W / ▷ Dulux EL Longlife E27 1x12W / ▷ GE FLE E27 1x11W / ▷ Megaman Liliput Plus E27 1x15W




EKO 21 GRILL

IK06 1J xx3

LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS ϕ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x15 W	II		-	-	-	A/EW	-	-	-	-	-	-	●	300488
E27	1x15 W	II		-	-	-	A/EW	-	-	-	-	-	-	●	300485
E27	1x15 W	II		-	-	-	A/EW	-	-	-	-	-	-	○	300484
E27	1x15 W	II		-	-	-	A/EW	-	-	-	-	-	-	●	300487

◁ Classic A E27 1x60W / ▷ Dulux EL Longlife E27 1x10W / ▷ Dulux EL Longlife E27 1x12W / ▷ GE FLE E27 1x11W / ▷ Megaman Liliput Plus E27 1x15W




EKO 21 DETEK

IK06 1J xx3


LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS ϕ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x15 W	II		-	-	-	S/EW	-	-	-	-	-	-	●	301232
E27	1x15 W	II		-	-	-	S/EW	-	-	-	-	-	-	○	301228

▷ Dulux EL Longlife E27 1x12W / ▷ Dulux EL Longlife E27 1x15W / ▷ Megaman Liliput Plus E27 1x15W



EKO 26

IK06 1J xx3


LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS θ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x23 W	II	-	-	-	-	S/EW	-	-	-	-	-	-	●	300338
E27	1x23 W	II	-	-	-	-	S/EW	-	-	-	-	-	●	300335	
E27	1x23 W	II	-	-	-	-	S/EW	-	-	-	-	-	○	300334	
E27	1x23 W	II	-	-	-	-	S/EW	-	-	-	-	-	●	300337	

◁ Classic A E27 1x75W / ▷ Dulux EL Longlife 1x20W / ▷ GE E27 1x20W / ▷ GE FLE E27 1x20W / ▷ Megaman Liliput Plus E27 1x23W / ▷ PHILIPS PL-E E27 1x20W




EKO 26/G

IK06 1J xx3


LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS θ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x23 W	II	-	-	-	-	S/EW	-	-	-	-	-	-	●	300358
E27	1x23 W	II	-	-	-	-	S/EW	-	-	-	-	-	-	●	300355
E27	1x23 W	II	-	-	-	-	S/EW	-	-	-	-	-	-	○	300354
E27	1x23 W	II	-	-	-	-	S/EW	-	-	-	-	-	-	●	300357

◁ Classic A E27 1x75W / ▷ Dulux EL Longlife 1x20W / ▷ GE E27 1x20W / ▷ GE FLE E27 1x20W / ▷ Megaman Liliput Plus E27 1x23W / ▷ PHILIPS PL-E E27 1x20W



EKO 26 DETEK

IK06 1J xx3

LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS θ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x23 W	II	-	-	-	-	S/EW	-	-	-	-	-	-	●	301247
E27	1x23 W	II	-	-	-	-	S/EW	-	-	-	-	-	-	○	301243

▷ Dulux EL Longlife E27 1x20W / ▷ GE E27 1x20W / ▷ Megaman Liliput Plus E27 1x23W / ▷ PHILIPS PL-E E27 1x20W




OPTIONAL ACCESSORIES


DESCRIPTION	COLOR	PART NUMBER
EKO 21/26		
Diffuser PC Eko 21		310311
Diffuser PC Eko 26		310312
Anti-tamper		310176
Anti-tamper		310177



310176



310311



310312