

SUPERDELTA TONDO


design by ROBERTO FIORATO



- GR-94 / Metallic grey / Textured
- BK-81 / Black / Textured
- IVORY-10 / Ivory / Textured


Wall, ceiling and post mounted luminaire for indoor and outdoor lighting, comprising:

- Technopolymer housing, trim and VISA screen
- Pressed glass diffuser, inside white painted or polycarbonate opal diffuser
- Aluminium reflector for incandescent versions
- Polymer gasket
- Stainless steel locking screws
- 960° PC versions available on request
- SAFE versions with polycarbonate diffuser are IK10
- Also available in oval



SUPERDELTA TONDO

SUPERDELTA TONDO
SAFE (IK 10 20J)





SUPERDELTA TONDO
VISA

SUPERDELTA TONDO
VISA SAFE (IK 10 20J)

Package size

31 x 42,5 x 57 cm
(master x 6)

Fixing holes



SUPERDELTA TONDO

IK08 5J xx5

LAMPHOLDER	WATTAGE	CLASS	CRI	KELVIN	COS Ø ≥ 0,9	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x75 W	II	•	-	-	S/EW	-	-	-	-	-	-	●	001718
E27	1x75 W	II	•	-	-	S/EW	-	-	-	-	-	-	●	001724
E27	1x75 W	II	•	-	-	S/EW	-	-	-	-	-	-	●	001720

◀▶ Dulux EL Longlife E27 1x14W / ▶ GE FLE E27 1x9W / ▶ PHILIPS PL-E E27 1x8W



SUPERDELTA TONDO SAFE

IK10 20J xx9

LAMPHOLDER	WATTAGE	CLASS	CRI	KELVIN	COS Ø ≥ 0,9	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x75 W	II	•	-	-	S/EW	-	-	-	-	-	-	●	001498
E27	1x75 W	II	•	-	-	S/EW	-	-	-	-	-	-	●	001536
E27	1x75 W	II	•	-	-	S/EW	-	-	-	-	-	-	●	001517

◀▶ Dulux EL Longlife E27 1x14W / ▶ GE FLE E27 1x9W / ▶ PHILIPS PL-E E27 1x8W

SUPERDELTA TONDO VISA

IK08 5J xx5

LAMPHOLDER	WATTAGE	CLASS	CRI	KELVIN	COS Ø ≥ 0,9	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x60 W	II	•	-	-	A/EW	-	-	-	-	-	-	●	001730
E27	1x60 W	II	•	-	-	A/EW	-	-	-	-	-	-	●	001729
E27	1x60 W	II	•	-	-	A/EW	-	-	-	-	-	-	●	001728

◀▶ Dulux EL Longlife E27 1x14W / ▶ GE FLE E27 1x9W / ▶ PHILIPS PL-E E27 1x8W



SUPERDELTA TONDO VISA SAFE

IK10 20J xx9

LAMPHOLDER	WATTAGE	CLASS	CRI	KELVIN	COS Ø ≥ 0,9	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x60 W	II	•	-	-	A/EW	-	-	-	-	-	-	●	001558
E27	1x60 W	II	•	-	-	A/EW	-	-	-	-	-	-	●	001539
E27	1x60 W	II	•	-	-	A/EW	-	-	-	-	-	-	●	001538


◀▶ Dulux EL Longlife E27 1x14W / ▶ GE FLE E27 1x9W / ▶ PHILIPS PL-E E27 1x8W

OPTIONAL ACCESSORIES

Post suitable for single or twin (back to back) luminaire mounting, comprising:

- Two painted extruded aluminium uprights
- Painted aluminium connecting flange
- Technopolymer shank connector acts as a junction box with 4-pole 16 mm² terminal

DESCRIPTION	COLOR	PART NUMBER
SUPERDELTA TONDO		
Double Post	●	000500
Double Post	●	000501




Complete unit

- 1A+1C+2D = please order 4 codes
- 1A+1C+3D = please order 5 codes
- 2A+1C+2D = please order 5 codes
- 2A+1C+3D = please order 6 codes

COMPONENTS

- A** luminaire
- C** pole
- D** fixing rod



SUPERDELTA OVALE/33

design by ROBERTO FIORATO




- GR-94 / Metallic grey / Textured
- BK-81 / Black / Textured
- IVORY-10 / Ivory / Textured





Series of ceiling, wall, bracket and post mounted luminaires for indoor and outdoor, in two sizes, comprising:

- Technopolymer housing, trim and VISA screen
- Pressed glass diffuser, white painted inside
- Aluminium reflector for incandescent versions
- Polymer gasket
- Stainless steel locking screws
- Also available in round shape





Package size

 superdelta ovale
30 x 29 x 51,5 cm
(master x 6)

 superdelta 33
37,5 x 33 x 60,5 cm
(master x 6)

Fixing holes



SUPERDELTA OVALE

IK06 1J xx3

LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS Φ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x60 W	II	•	-	-	-	S/EW	-	-	-	-	-	-	●	001710
E27	1x60 W	II	•	-	-	-	S/EW	-	-	-	-	-	-	●	001704
E27	1x60 W	II	•	-	-	-	S/EW	-	-	-	-	-	-	●	001700

◀▶ Dulux EL Longlife E27 1x5W / ▶ GE FLE E27 1x9W / ▶ Megaman MM332 E27 1x20W / ▶ PHILIPS PL-E E27 1x8W



SUPERDELTA OVALE VISA

IK06 1J xx3

LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS Φ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x40 W	II	•	-	-	-	A/EW	-	-	-	-	-	-	●	001712
E27	1x40 W	II	•	-	-	-	A/EW	-	-	-	-	-	-	●	001709
E27	1x40 W	II	•	-	-	-	A/EW	-	-	-	-	-	-	●	001708

◀▶ Dulux EL Longlife E27 1x5W / ▶ GE FLE E27 1x9W / ▶ Megaman MM332 E27 1x20W / ▶ PHILIPS PL-E E27 1x8W



SUPERDELTA 33

IK06 1J xx3

LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS Φ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x75 W	II	•	-	-	-	S/EW	-	-	-	-	-	-	●	001797
E27	1x75 W	II	•	-	-	-	S/EW	-	-	-	-	-	-	●	001804
E27	1x75 W	II	•	-	-	-	S/EW	-	-	-	-	-	-	●	001800

◀▶ Dulux EL Longlife E27 1x23W / ▶ GE FLE E27 1x23W / ▶ Megaman MM333 E27 1x23W / ▶ PHILIPS PL-E E27 1x23W



SUPERDELTA 33 VISA

IK06 1J xx3

LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS Φ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x60 W	II	•	-	-	-	A/EW	-	-	-	-	-	-	●	001799
E27	1x60 W	II	•	-	-	-	A/EW	-	-	-	-	-	-	●	001809
E27	1x60 W	II	•	-	-	-	A/EW	-	-	-	-	-	-	●	001808

◀▶ Dulux EL Longlife E27 1x23W / ▶ GE FLE E27 1x23W / ▶ Megaman MM333 E27 1x23W / ▶ PHILIPS PL-E E27 1x23W



OPTIONAL ACCESSORIES

33D - Mini 33D Post

Aluminium post suitable for single or twin (back to back) luminaire mounting, comprising:

- Painted extruded aluminium post suitable for single or twin (back to back) luminaire mounting
- Self-extinguishing technopolymer junction box with 4-pole 16 mm² terminal
- Painted die-cast aluminium flange for ground anchoring

33 M1/M2 Post


Mini 33 M1/M2 Post

Aluminium post suitable for single or twin (back to back) luminaire mounting, comprising:

- Painted extruded aluminium post suitable for single or twin (back to back) luminaire mounting
- Self-extinguishing technopolymer brackets
- Self-extinguishing technopolymer junction box with 4-pole 16 mm² terminal block

Ovale and Tondo Bracket/33 Bracket

- Self-extinguishing technopolymer bracket angled at 45°
- Supplied complete with plugs for wall mounting




Complete unit

1A+1B = please order 2 codes


COMPONENTS

- A** luminaire
- B** bracket



250

SUPERDELTA
OVALE 33
008953



Complete unit

1A+1C+2D = please order 4 codes

2A+1C+2D = please order 5 codes

COMPONENTS

- A** luminaire
- C** pole
- D** fixing rod

DESCRIPTION	COLOR	PART NUMBER
SUPERDELTA OVALE 33		
Bracket 33	●	008953
Post 33 mini D	●	008136
Post 33 D	●	008133
Post 33 mini M1	●	008137
Post 33 mini M2	●	008138
Post mini M1	●	008134
Post 33 M2	●	008135

