

Narcissus



Outdoor directional spotlights (IP67 protection) made of **AISI 316 STAINLESS STEEL**, with integrated driver. Available in three sizes with 2 W, 6 W and 13 W powers.

Passive heat dissipation

AISI 316 stainless steel casing for high salinity environments

Light management


Methacrylate lens, protection extra-clear toughened glass with black silk-screened edge

Directional casing

Casing rotating up to 220 degrees



Narcissus_1 | Projector | 190-250 V | powerLED 2 W 630 mA



type	
Steel	CRI 80 95151

colour		
3000 K	208 lm	W
4000 K	222 lm	N

optic	
8°	08
15°	15
30°	30
60°	60




84890
250 mm
Steel peg



98112
700 mm
Steel peg

Narcissus_2 | Projector | 180-300 V | powerLED 6 W 500 mA



type	
Steel	CRI 80 95152

colour		
2700 K	557 lm	M
3000 K	588 lm	W
4000 K	650 lm	N

optic	
15°	15
30°	30
60°	60




84890
250 mm
Steel peg



98112
700 mm
Steel peg

Narcissus_3 | Projector | 180-300 V | powerLED 13 W 350 mA



type	
Steel	CRI 80 95153

colour		
2700 K	1298 lm	M
3000 K	1400 lm	W
4000 K	1497 lm	N

optic	
15°	15
30°	30
60°	60



84890
250 mm
Steel peg



98112
700 mm
Steel peg

