

Periskop



Outdoor spotlight, ideal for **accent lighting**. Aluminium casing. It is fitted with a black coated aluminium bracket allowing $\pm 180^\circ$ casing tilting.

Passive heat dissipation


Aluminium casing

Light management

Methacrylate lens, protection toughened glass with black silk-screened edge



Periskop | Projector | powerLED 4.5 W 500 mA



type

White	CRI 80	97569
Black	CRI 80	97570
Grey	CRI 80	97571
Cor-Ten	CRI 80	97572

colour

3000 K	534 lm	W
4000 K	570 lm	N
5000 K	648 lm	C

optic

15°	15
30°	30
60°	60



89423
ON/OFF
1 art.



99181
ON/OFF
1 - 2 art.




99185
ON/OFF
2 - 4 art.



98550
Pegs

Periskop blade | Projector | powerLED 2 W 630 mA



type

White	CRI 80	97639
Black	CRI 80	97640
Grey	CRI 80	97649
Cor-Ten	CRI 80	97650

colour

3000 K	164 lm	W
4000 K	175 lm	N
5000 K	213 lm	C

optic

3°	03
----	-----------



89420
ON/OFF
1 - 2 art.



99179
ON/OFF
3 - 6 art.



99186
ON/OFF
6 - 12 art.



98550
Pegs

