

# Ryo



Post for single or double emission outdoor lighting. With its minimalist design it **conveys the light** from the arrayLed source **towards the ground, where it expands** to 180 degrees without upward light pollution.

**Passive heat dissipation**

Aluminium head

**Light management**



Single or double emission version, grazing light

**Anti-vandal**

Four fixing points with AISI 316 stainless steel anti-vandal screws



**Ryo\_1** | Bollards | 190-250 V | arrayLED 4.2 W 120 mA



**type**

Grey	CRI 80	<b>64761</b>
BK Grey	CRI 80	<b>64759</b>
Cor-Ten	CRI 80	<b>64760</b>

**colour**

3000 K	654 lm	<b>W</b>
4000 K	676 lm	<b>N</b>

**optic**


Diff.	<b>00</b>
-------	-----------



**64758**

Pegs

**Ryo\_1** | Bollards | 100-240 V | arrayLED 9 W 250 mA



**type**

Grey	CRI 80	<b>64734</b>
BK Grey	CRI 80	<b>64721</b>
Cor-Ten	CRI 80	<b>64726</b>

**colour**

3000 K	1288 lm	<b>W</b>
4000 K	1332 lm	<b>N</b>

**optic**


Diff.	<b>00</b>
-------	-----------



**64758**

Pegs

**Ryo\_1** | Bollards | 100-240 V | arrayLED 9 W 250 mA



**type**

Grey	CRI 80	<b>64736</b>
BK Grey	CRI 80	<b>64723</b>
Cor-Ten	CRI 80	<b>64728</b>

**colour**

3000 K	1288 lm	<b>W</b>
4000 K	1332 lm	<b>N</b>

**optic**


Diff.	<b>00</b>
-------	-----------



**64758**

Pegs

## Ryo\_2 | Bollards | 190-250 V | arrayLED 8.4 W 120 mA



## type

Grey	CRI 80	<b>64764</b>
BK Grey	CRI 80	<b>64762</b>
Cor-Ten	CRI 80	<b>64763</b>

## colour

3000 K	1308 lm	<b>W</b>
4000 K	1352 lm	<b>N</b>

## optic


Diff.	<b>00</b>
-------	-----------



64758

Pegs

## Ryo\_2 | Bollards | 100-240 V | arrayLED 18 W 250 mA



## type

Grey	CRI 80	<b>64735</b>
BK Grey	CRI 80	<b>64722</b>
Cor-Ten	CRI 80	<b>64727</b>

## colour

3000 K	2576 lm	<b>W</b>
4000 K	2664 lm	<b>N</b>

## optic


Diff.	<b>00</b>
-------	-----------



64758

Pegs

## Ryo\_2 | Bollards | 100-240 V | arrayLED 18 W 250 mA



## type

Grey	CRI 80	<b>64737</b>
BK Grey	CRI 80	<b>64724</b>
Cor-Ten	CRI 80	<b>64729</b>

## colour

3000 K	2576 lm	<b>W</b>
4000 K	2664 lm	<b>N</b>

## optic

Diff.	<b>00</b>
-------	-----------



64758

Pegs