

Gypsum_QD

Diffused light


Square compact shapes fitted with a sandblasted opaline screen, which allows to control the emission and soften the shades. A quality detail with a timeless design.

- + square section
- + LED source
- + soft and wrapping light
- + integrated opaline diffuser





Gypsum_QD1 | Downlights | arrayLED 9,3 W 250 mA



type

White CRI 80 **63830**


colour

3000 K 1364 lm **W**
4000 K 1408 lm **N**

optics

diffused **00**

Suggested electronics



62424 **62431** **62432**
ON/OFF 1 art. 1 art. 1 art.




Suggested accessories



60830
Shim

Gypsum_QD2 | Downlights | arrayLED 12,5 W 350 mA



type

White CRI 80 **63820**


colour

3000 K 1876 lm **W**
4000 K 1938 lm **N**

optics

diffused **00**

Suggested electronics



99126 **99114** **99115**
ON/OFF 1 art. 1-10V/PUSH 1 art. DALI/PUSH 1 art.

Suggested accessories



60830
Shim



Gypsum_QRD


Contemporary design

An ultra compact casing wraps the source light through an original union between the perfection of the square and the absence of sharp edges, which blend the gypsum body with the installation surface.

- + **absence of sharp edges**
- + **LED source**
- + **customizable finishes**



Gypsum_QRD | Downlights | arrayLED 7,5 W 200 mA




type		colour		optics	
White	CRI 80 61450	3000 K	1117 lm	W	70°
		4000 K	1153 lm	N	70

Suggested electronics



62423	62431	62432
ON/OFF 1 art.	1-10V/PUSH 1 art.	DALI/PUSH 1 art.


Suggested accessories



60840	60830
Glass	Shim




Gypsum_QRD | Downlights | 1xGU10



type		source		optics	
White	61430	1xGU10 35W Max		variable	

Suggested accessories



60840	60830
Glass	Shim



