

---

# Gypsum\_S

## **Semi-recessed**


Two complementary shapes, easily combinable, minimum dimensions. Semi recessed solution allows products concealing in the living space. The chalk frame, allows a perfect integration with the installing and finish surface, and lighting source shielding to maximize the visual comfort, hiding the lamp.

- + **customizable finishes**
- + **LED source**
- + **excellent visual comfort**





## Gypsum\_SR | Downlights | arrayLED 7,5 W 200 mA



## type

White	CRI 80	<b>60851</b>
-------	--------	--------------

## colour

3000 K	1117 lm	<b>W</b>
4000 K	1153 lm	<b>N</b>


## optics

70°	<b>70</b>
-----	-----------

## Suggested electronics

**62423**ON/OFF  
1 art.**62431**1-10V/PUSH  
1 art.**62432**DALI/PUSH  
1 art.

## Gypsum\_SQ | Downlights | arrayLED 7,5 W 200 mA



## type

White	CRI 80	<b>60848</b>
-------	--------	--------------


## colour

3000 K	1117 lm	<b>W</b>
4000 K	1153 lm	<b>N</b>

## optics

70°	<b>70</b>
-----	-----------

## Suggested electronics

**62423**ON/OFF  
1 art.**62431**1-10V/PUSH  
1 art.**62432**DALI/PUSH  
1 art.

