

---


# Gypsum\_WF

## Invisible step light


Wall lighting cuts, available in three dimensions, to illuminate passages. Chalk flush frame with recessed fixed optics allows to have fascinating light effects.

- + light cuts
- + three formal options
- + LED source





**Gypsum\_WF1** | Recessed lights | 1 x powerLED 1 W 350 mA



type		colour		optics	
White	CRI 80 <b>60920</b>	3000 K	130 lm	<b>W</b>	<b>70° 70</b>
		4000 K	140 lm	<b>N</b>	

For masonry installation you must purchase the recessed outer casing in addition to the lamp.


**Suggested electronics**

<b>89144</b>	<b>89145</b>	<b>99115</b>	<b>99114</b>
ON/OFF 1 - 2 art.	ON/OFF 3 - 6 art.	1-10V/PUSH 1-15 art.	DALI/PUSH 1-15 art.

**Suggested accessories**

<b>60830</b>	<b>61270</b>
Shim	Outer casing

**Gypsum\_WF2** | Recessed lights | 1 x powerLED 1 W 350 mA



type		colour		optics	
White	CRI 80 <b>60930</b>	3000 K	130 lm	<b>W</b>	<b>70° 70</b>
		4000 K	140 lm	<b>N</b>	

For masonry installation you must purchase the recessed outer casing in addition to the lamp.


**Suggested electronics**

<b>89144</b>	<b>89145</b>	<b>99115</b>	<b>99114</b>
ON/OFF 1 - 2 art.	ON/OFF 3 - 6 art.	1-10V/PUSH 1-15 art.	DALI/PUSH 1-15 art.

**Suggested accessories**

<b>60830</b>	<b>61280</b>
Shim	Outer casing

**Gypsum\_WF3** | Recessed lights | 220-240 V | 1 x powerLED 2 W 500 mA




type		colour		optics	
White	CRI 80 <b>60680</b>	3000 K	170 lm	<b>W</b>	<b>70° 70</b>
		4000 K	180 lm	<b>N</b>	

For masonry installation you must purchase the recessed outer casing in addition to the lamp.

**Suggested accessories**

<b>60830</b>	<b>64180</b>
Shim	Outer casing

**Gypsum\_WF4** | Recessed lights | 220-240 V | 4 x powerLED 8 W 500 mA

For masonry installation you must purchase the recessed outer casing in addition to the lamp.

**type**

White CRI 80 **61390**

**colour**

3000 K 576 lm **W**  
4000 K 720 lm **N**

**optics**


diffused **00**

**Suggested accessories****60830**

Shim

**61290**

Outer casing

**Gypsum\_WF4** | Recessed lights | 220-240 V | 1xGx24q-3

For masonry installation you must purchase the recessed outer casing in addition to the lamp.

**type**

White **60940**

**source**

1xGx24q-3 32W Max

**optics**

diffused

**Suggested accessories****60830**

Shim

**61290**

Outer casing

