

# LV54 | HV54



The i-LèD research has designed a high-performance product, **ideal for illuminating large spaces**. Practical and versatile, it features a wide range depth thus offering a wealth of lighting solutions. Also available in the driverless version, to be connected directly to the mains.

**Diffused light distribution**


Maximum visual comfort is ensured by the PMMA opaline diffuser

**Heat sink**


The heat sink louvered pattern enables the LED to rapidly cool down

**Direct to the power (HV54)**

Directly connected to the mains voltage with no external drivers required





LV54\_RS | Downlight | topLED 13 W 350 mA



type		colour			optic	
White	CRI 80 <b>97090</b>	2700 K	1344 lm	<b>M</b>	Diff.	<b>00</b>
Black	CRI 80 <b>97091</b>	3000 K	1488 lm	<b>W</b>		
		4000 K	1632 lm	<b>N</b>		

<b>99260</b>	<b>99262</b>	<b>99163</b>
ON/OFF 1 art.	1-10V 1 art.	DALI 1 art.


LV54\_RS | Downlight | topLED 23 W 630 mA



type		colour			optic	
White	CRI 80 <b>97092</b>	2700 K	2352 lm	<b>M</b>	Diff.	<b>00</b>
Black	CRI 80 <b>97093</b>	3000 K	2604 lm	<b>W</b>		
		4000 K	2856 lm	<b>N</b>		

<b>99261</b>	<b>99262</b>	<b>99163</b>
ON/OFF 1 art.	1-10V 1 art.	DALI 1 art.


LV54\_RS | Downlight | topLED 30 W 840 mA



type		colour			optic	
White	CRI 80 <b>97094</b>	2700 K	3024 lm	<b>M</b>	Diff.	<b>00</b>
Black	CRI 80 <b>97095</b>	3000 K	3348 lm	<b>W</b>		
		4000 K	3672 lm	<b>N</b>		

<b>99093</b>	<b>99187</b>	<b>99330</b>
ON/OFF 1 art.	1-10V, DALI 1 art.	DALI 1 art.

## LV54\_RS | Downlight | topLED 30 W 840 mA



236

## type

White	CRI 80	<b>97888</b>
Black	CRI 80	<b>97889</b>

## colour

2700 K	3024 lm	<b>M</b>
3000 K	3348 lm	<b>W</b>
4000 K	3672 lm	<b>N</b>

## optic

Diff.	<b>00</b>
-------	-----------



**99093**

ON/OFF  
1 art.



**99187**


1-10V, DALI  
1 art.



**99330**

DALI  
1 art.

## LV54\_RS | Downlight | topLED 44 W 1250 mA



236

## type

White	CRI 80	<b>97119</b>
Black	CRI 80	<b>97120</b>

## colour

2700 K	4704 lm	<b>M</b>
3000 K	5208 lm	<b>W</b>
4000 K	5712 lm	<b>N</b>

## optic

Diff.	<b>00</b>
-------	-----------



**99092**


ON/OFF  
1 art.



**99174**

1-10V, DALI  
1 art.

**HV54\_RS** | Downlight | powerLEDs 10 W 190-240 V AC



**type**

White	CRI 80	<b>96883</b>
Black	CRI 80	<b>96884</b>

**colour**

2700 K	915 lm	<b>M</b>
3000 K	980 lm	<b>W</b>
4000 K	1045 lm	<b>N</b>

**optic**


Diff.	<b>00</b>
-------	-----------



**KIT0027**

Dimmer

**HV54\_RS** | Downlight | powerLEDs 20 W 190-240 V AC



**type**

White	CRI 80	<b>96885</b>
Black	CRI 80	<b>96886</b>

**colour**

2700 K	1806 lm	<b>M</b>
3000 K	1900 lm	<b>W</b>
4000 K	2000 lm	<b>N</b>

**optic**


Diff.	<b>00</b>
-------	-----------



**KIT0027**

Dimmer

**HV54\_RS** | Downlight | powerLEDs 30 W 190-240 V AC



**type**

White	CRI 80	<b>96887</b>
Black	CRI 80	<b>96888</b>

**colour**

2700 K	2710 lm	<b>M</b>
3000 K	2850 lm	<b>W</b>
4000 K	3000 lm	<b>N</b>

**optic**

Diff.	<b>00</b>
-------	-----------




**KIT0027**

Dimmer



LV54\_QS | Downlight | topLED 13 W 350 mA



type

White	CRI 80	<b>97096</b>
Black	CRI 80	<b>97097</b>

colour

2700 K	1344 lm	<b>M</b>
3000 K	1488 lm	<b>W</b>
4000 K	1632 lm	<b>N</b>


optic

Diff.	<b>00</b>
-------	-----------



<b>99260</b>	<b>99262</b>	<b>99163</b>
ON/OFF 1 art.	1-10V 1 art.	DALI 1 art.

LV54\_QS | Downlight | topLED 23 W 630 mA



type

White	CRI 80	<b>97098</b>
Black	CRI 80	<b>97099</b>

colour

2700 K	2475 lm	<b>M</b>
3000 K	2772 lm	<b>W</b>
4000 K	2970 lm	<b>N</b>


optic

Diff.	<b>00</b>
-------	-----------



<b>99261</b>	<b>99262</b>	<b>99163</b>
ON/OFF 1 art.	1-10V 1 art.	DALI 1 art.

LV54\_QS | Downlight | topLED 30 W 840 mA



type

White	CRI 80	<b>97100</b>
Black	CRI 80	<b>97101</b>

colour

2700 K	2904 lm	<b>M</b>
3000 K	3300 lm	<b>W</b>
4000 K	3564 lm	<b>N</b>


optic

Diff.	<b>00</b>
-------	-----------



<b>99093</b>	<b>99187</b>	<b>99330</b>
ON/OFF 1 art.	1-10V, DALI 1 art.	DALI 1 art.

## HV54\_QS | Downlight | powerLEDs 10 W 190-240 V AC



## type

White	CRI 80	<b>96889</b>
Black	CRI 80	<b>96890</b>

## colour

2700 K	915 lm	<b>M</b>
3000 K	980 lm	<b>W</b>
4000 K	1045 lm	<b>N</b>

## optic


Diff.	<b>00</b>
-------	-----------



## KIT0027

Dimmer

## HV54\_QS | Downlight | powerLEDs 20 W 190-240 V AC



## type

White	CRI 80	<b>96891</b>
Black	CRI 80	<b>96892</b>

## colour

2700 K	1806 lm	<b>M</b>
3000 K	1900 lm	<b>W</b>
4000 K	2000 lm	<b>N</b>

## optic


Diff.	<b>00</b>
-------	-----------



## KIT0027

Dimmer

## HV54\_QS | Downlight | powerLEDs 30 W 190-240 V AC



## type

White	CRI 80	<b>96893</b>
Black	CRI 80	<b>96894</b>

## colour

2700 K	2710 lm	<b>M</b>
3000 K	2850 lm	<b>W</b>
4000 K	3000 lm	<b>N</b>

## optic

Diff.	<b>00</b>
-------	-----------



## KIT0027

Dimmer