


BPM Lighting®
TENNESSEE
 MAGNET





CONNECTION BOX - CAJA DE CONEXIÓN pag. 420



CB03

PHOTOMETRY - FOTOMETRÍA



.D38



You can find all photometry data in our web.

Puedes encontrar todas las fotometrías en nuestra web.

TENNESSEE MAGNET REF. 10226 NEW



1 - Configuration: REF +

REF.	Measures Ø mm
10226.35	350
10226.45	450
10226.65	650
10226.95	950
10226.125	1250

Installation - *Instalación*

Surface <i>Superficie</i>	.SR	Pendant <i>Colgante</i>	.PN
------------------------------	-----	----------------------------	-----

Rail driver - *Alimentación* 220 - 48 V

Check the power in the price list.
Consultar potencias en lista de precios. .AL

2 - FLECK 20167

Color finish - *Acabado*

Black - *Negro* .BK

Reflector

15°	.D15	24°	.D25
38°	.D38		

Color Temperature - *Temperatura de color*

2700K	.27K	3000K	.3K
4000K	.4K		


Technical information - *Información técnica*

Watts - <i>Potencia</i>	7 W
	27K - 370 lm
Lumens - <i>Lúmenes</i>	3K - 350 lm
	4K - 332 lm
mA	700 mA
Voltage - <i>Voltaje</i>	48 V



BPMLighting®
TENNESSEE
MAGNET

TENNESSEE MAGNET REF. 10226



FLECK REF. 20167

