

# OUTLOOK



## IT

– Corpo in alluminio verniciato bianco gofrato; lente in vetro trasparente.

## EN

– White embossed aluminium casing; transparent glass lens.

## ES

– Cuerpo de aluminio pintado de color blanco efecto arrugado; lente de vidrio transparente.

## DE

– Leuchte aus Aluminium mit Lackierung mit weißem Schrumpflack; Linse aus transparentem Glas.

## FR

– Corps en aluminium verni blanc gaufré, lentille en verre transparent.

## PY

– Корпус из алюминия, окрашенной белой краской со складчатой отделкой; объектив из прозрачного стекла.












## OUTLOOK\_P

arrayLED 11 W | 220-240 V | CRI 80



### TYPE

WHITE

### CODE

**8420**

### COLOUR

3000 K  
1162 lm


### ACCESSORIES



**KIT0026** | Phase-cut Dimmer (max. 100 W)

## OUTLOOK\_S

arrayLED 11 W | 220-240 V | CRI 80



### TYPE

WHITE

### CODE

**8472**

### COLOUR

3000 K  
1162 lm


### ACCESSORIES



**KIT0026** | Phase-cut Dimmer (max. 100 W)

## OUTLOOK\_C

arrayLED 11 W | 220-240 V | CRI 80



### TYPE

WHITE

### CODE

**8470**

### COLOUR

3000 K  
1112 lm

### ELECTRONICS



**KIT0064** | Phase-cut Driver (max. 1 art.)



**KIT0065** | Phase-cut Driver (max. 1-2 art.)

### ACCESSORIES



**KIT0026** | Phase-cut Dimmer (max. 100 W)