



# optiwall

## Materials

Aluminium body

Transparent PMMA diffuser



## Revolutionary step lights

Optiwall revolutionises the path marker concept: it's not so much a wall light as a light window that uses the microincisions of Optilight Technology™ to reduce dazzle to zero. The light isn't just asymmetrically projected onto the ground, but also provides softer and deeper ambient illumination that highlights surrounding features.



optilight

IP65

## Ultra thin


Optiwall's unique slinline design, as little as 18 mm thick, also incorporates smart features like invisible screws and a bracket that nestles inside the body.




Fixing bracket





## 81296W0



Photometric curve




Light beam



Floor plan

**Optiwall** | Path-marker | 24 V DC | topLED 3,5 W DC




		Cct	Im S - D	Optic
White	<b>81296</b>	M 2700	366 - On req	<b>07</b> Asymm. -
Grey	<b>81297</b>	W 3000	384 - On req	
DarkBrown	<b>81298</b>	N 4000	401 - On req	
BK Grey	<b>81299</b>			

**Electronics**

89488	89179	89359	99332	99722
ON/OFF 1 - 4 art. p 80 x l 100 x h 31	ON/OFF 1 - 6 art. p 92 x l 117 x h 38	ON/OFF 1 - 13 art. p 115 x l 140 x h 50	0/1-10V 1 - 42 art. p 150 x l 60 x h 35	DALI 1 - 26 art. p 191 x l 63 x h 38

**Optiwall** | Path-marker | 24 V DC | topLED 3,5 W DC




		Cct	Im S - D	Optic
White	<b>81300</b>	M 2700	366 - On req	<b>07</b> Asymm. -
Grey	<b>81301</b>	W 3000	384 - On req	
DarkBrown	<b>81302</b>	N 4000	401 - On req	
BK Grey	<b>81303</b>			

**Electronics**

89488	89179	89359	99332	99722
ON/OFF 1 - 4 art. p 80 x l 100 x h 31	ON/OFF 1 - 6 art. p 92 x l 117 x h 38	ON/OFF 1 - 13 art. p 115 x l 140 x h 50	0/1-10V 1 - 42 art. p 150 x l 60 x h 35	DALI 1 - 26 art. p 191 x l 63 x h 38

**Optiwall** | Path-marker | 24 V DC | topLED 7 W DC



		Cct	Im S - D	Optic
White	<b>81304</b>	M 2700	732 - On req	<b>07</b> Asymm. -
Grey	<b>81305</b>	W 3000	767 - On req	
DarkBrown	<b>81306</b>	N 4000	803 - On req	
BK Grey	<b>81307</b>			

**Electronics**

89179	89359	99331	99332	99722
ON/OFF 1 - 3 art. p 92 x l 117 x h 38	ON/OFF 1 - 6 art. p 115 x l 140 x h 50	ON/OFF 1 - 21 art. p 150 x l 60 x h 35	0/1-10V 1 - 21 art. p 150 x l 60 x h 35	DALI 1 - 17 art. p 191 x l 63 x h 38