

QUANTUM



Adjustable surface-mounted technical projectors. New large premium projector, extending the family with stylish modern design, unique rotary thermal guard and up to 27,000 delivered lumens.




Luminaire Structure

- Die-cast aluminium housing
- Pre-treated before powder coating ensuring high corrosion resistance
- Single cable entry, through wiring upon request
- One IP68 connector supplied with 0.2 m of 3x1.0 sqmm outdoor cable for QA-50001, QA-50003, QA-50011, QA-50013, QA-50021
- Three IP68 connectors supplied with 0.2 m of 3x1.0 sqmm outdoor cable and 2x0.2 m of 2x0.5 sqmm outdoor shielded cable for QA-50004, QA-50015, QA-50022
- Stainless steel fasteners in grade 304 with zinc flake coating (ZFC)
- Durable silicone rubber gasket
- High-efficiency optical reflector
- High-efficiency PMMA lens
- Clear toughened glass
- Integral control gear

Feature



Light symbol



Product colour



Special finishes upon request

We reserve the right to make technical and design changes.

01:20, 18-05-2022

<https://www.ligman.com/quantum-floodlights-projectors-qu-pr3/>

Europe
LIGMAN EUROPE s.r.o.
VGP Park Ústí nad Labem
P 2 120
40317, Přestanov
Czech Republic
+420 477 071 500
sales.cz@ligman.com

ASIA PACIFIC
LIGMAN Lighting Co.,Ltd.
17/2 Moo4 Monthong
Bangnampreaw
24150, Chachoengsao
Thailand
+66 2 108 6700
info@ligman.com

QUANTUM

SU01 - Concrete - Urban
SU02 - Softscape - Urban
SU03 - Stone - Urban
SU04 - Corten - Urban



SW01 - Oak - Woodland
SW02 - Walnut - Woodland
SW03 - Pine - Woodland

We reserve the right to make technical and design changes.

01:20, 18-05-2022




<https://www.ligman.com/quantum-floodlights-projectors-qu-pr3/>

Europe
LIGMAN EUROPE s.r.o.
VGP Park Ústí nad Labem
P 2 120
40317, Přestanov
Czech Republic
+420 477 071 500
sales.cz@ligman.com








ASIA PACIFIC
LIGMAN Lighting Co.,Ltd.
17/2 Moo4 Monthong
Bangnampreaw
24150, Chachoengsao
Thailand
+66 2 108 6700
info@ligman.com

QUANTUM

Technical information

	Model number	Light source	Power	Lumen	Optic	CCT / CRI	Dimming type	Weight	
Large									
QUANTUM 3	QA-50021	6 x 16 LED	269 W	20759 - 27436 lm	E [44°x13°], M [18°], ME [134°x35°], N [10°], T2 [141°x49°], T3 [138°x65°], T4 [96°x76°], VW [70°x54°], W [26°]	3000K CRI80, 4000K CRI80	DALI, 1-10V, On/Off	16.0 kg	
Large - RGBW									
QUANTUM 3	QA-50022	6 x 16 LED	191 W	9027 - 12213 lm	E [44°x12°], M [18°], N [10°], VW [71°], W [27°]	RGBW30, RGBW40	DMX/RDM	16.0 kg	
Medium									
QUANTUM 2	QA-50011	6 COB	88 W	7795 - 8742 lm	M [28°], N [24°], VW [74°], W [48°]	3000K CRI80, 4000K CRI80	DALI, 1-10V, On/Off	8.5 kg	
QUANTUM 2	QA-50013	18 LED	76 W	6688 - 7175 lm	VN [8°]	3000K CRI80, 4000K CRI80	DALI, 1-10V, On/Off	8.5 kg	
Medium - RGBW									
QUANTUM 2	QA-50015	18 LED	77 W	3339 - 4296 lm	E [25° x 48°], M [35°], N [20°]	RGBW30, RGBW40	DALI, DMX/RDM	8.5 kg	
Small									
QUANTUM 1	QA-50001	3 COB	42 W	3137 - 3634 lm	M [33°], N [25°], W [47°]	3000K CRI80, 4000K CRI80	DALI, 1-10V, On/Off	3.7 kg	
QUANTUM 1	QA-50003	7 LED	32 W	2597 - 2790 lm	VN [8°]	3000K CRI80, 4000K CRI80	DALI, 1-10V, On/Off	4.0 kg	
Small - RGBW									
QUANTUM 1	QA-50004	7 LED	33 W	1113 - 1432 lm	E [26° x 48°], M [35°], N [21°]	RGBW30, RGBW40	DMX/RDM	4.0 kg	

Accessories

	 Anti-glare louvre A51421	 Linear spread lens A51514	 Anti-glare louvre A51521	 Linear spread lens A51614	 Linear spread lens A51714	 Anti-glare visor A53331	 Anti-glare louvre A53431
QA-50001	.			.			
QA-50003				.			
QA-50004							
QA-50011			.		.		
QA-50013					.		
QA-50015							
QA-50021		.				.	.
QA-50022							.

We reserve the right to make technical and design changes.








01:20, 18-05-2022


<https://www.ligman.com/quantum-floodlights-projectors-qu-pr3/>

Europe
LIGMAN EUROPE s.r.o.
VGP Park Ústí nad Labem
P 2 120
40317, Přestanov
Czech Republic
+420 477 071 500
sales.cz@ligman.com

ASIA PACIFIC
LIGMAN Lighting Co.,Ltd.
17/2 Moo4 Monthong
Bangnampreaw
24150, Chachoengsao
Thailand
+66 2 108 6700
info@ligman.com

QUANTUM



	 Anti-glare hood A53531	 Anti-glare visor A53631	 Anti-glare hood A53731	 Anti-glare visor A53831	 Anti-glare hood A53931	 DALI Control System Control-DALI	 DMX Control System Control-DMX
QA-50001		•	•			•	
QA-50003		•	•			•	
QA-50004							•
QA-50011				•	•	•	
QA-50013				•	•	•	
QA-50015							•
QA-50021	•					•	
QA-50022							•

	 DMX/RDM Control System Control-DMX-RDM
QA-50001	
QA-50003	
QA-50004	•
QA-50011	
QA-50013	
QA-50015	•
QA-50021	
QA-50022	•



QUANTUM

QUANTUM




QUANTUM 1



QUANTUM 2



QUANTUM 3



QUANTUM



QUANTUM
Cluster column projectors

Adjustable column technical projector cluster solution. Flexible technical project solutions in attractive cluster arrangements using the stylish premium QUANTUM projectors.

<https://www.ligman.com/quantum-cluster-column-projectors-qua-pr3/>



QUANTUM
Street & area lighting luminaires

Adjustable column-mounted technical projector solution. Flexible technical project solutions in attractive column-downlight using the stylish premium QUANTUM projectors.

<https://www.ligman.com/quantum-street-area-lighting-luminaires-qu-st3/>



QUANTUM
Gobo projectors

Compact and powerful gobo projector, aluminium powder coated housing with IP66 protection. Three optional forward-lens focal lengths. Accepts both metal and glass standard size-M gobos.

<https://www.ligman.com/quantum-gobo-projectors-qagb-pr3/>